


SAD  
#4  
1-15-02

PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Trade Application of:

Akihiro MUROGUCHI et al.

Serial No.: 09/917,911

Filed: July 31, 2001

Group Art Unit: ~~1754~~

Examiner: ~~Unassigned~~

For: TRACE OXYGEN MEASURING APPARATUS AND MEASURING METHOD

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents  
Washington, D.C. 20231

Sir:

Pursuant to 37 C.F.R. §1.56, the attention of the Patent and Trademark Office is hereby directed to the references listed on the attached Form PTO-1449. Copies of each of the references listed on Form PTO-1449 are attached.

Also enclosed is a copy of a Partial European Search Report bearing a mailing date of December 18, 2001, and the USPTO is directed thereto for a concise statement of possible relevance of the references cited therein.

PLEASE ACCEPT THIS AS  
AUTHORIZATION TO DEBIT  
OR CREDIT FEES TO  
DEP. ACCT. 16-0331  
PARKHURST & WENDEL

1743  
RECEIVED  
JAN 14 2002  
TC 1700

The above information is presented so that the Patent and Trademark Office may, in the first instance, determine any materiality thereof to the claimed invention. See 37 C.F.R. 1.104(a) and 1.106(b) concerning the PTO duty to consider and use any such information. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that these references be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

Respectfully submitted,

PARKHURST & WENDEL, L.L.P.

January 8, 2002


Date

RWP/jmz

Attorney Docket No.: WATK:214

PARKHURST & WENDEL, L.L.P.  
1421 Prince Street, Suite 210  
Alexandria, Virginia 22314-2805  
Telephone: (703) 739-0220

(rev. 5/00)



Roger W. Parkhurst

Registration No. 25,177